in

Notice of Allowability	Application No.	Applicant(s)	
	09/988,806	ULLRICH ET AL.	
	Examiner	Art Unit	
	Paul Gurzo	2881	_
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate community GHTS. This application is s	n this application. If not included unication will be mailed in due course	
1. $\square$ This communication is responsive to <u>6/16/04 and 6/30/04</u> .			
2. The allowed claim(s) is/are 31-67.			
3. $\square$ The drawings filed on <u>30 June 2004</u> are accepted by the Ex	xaminer.		
4. ☐ Acknowledgment is made of a claim for foreign priority una ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date  (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	been received.  been received in Application cuments have been received of this communication to file ENT of this application.  itted. Note the attached EXA es reason(s) why the oath or t be submitted. on's Patent Drawing Review	n No  If in this national stage application from this national stage application from the requirement of the stage application from the requirement of the stage application from the stage application fr	ents
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the	e drawings in the front (not the back) o	of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview So Paper No./ 8), 7. ☐ Examiner's	formal Patent Application (PTO-152)  ummary (PTO-413),  Mail Date  Amendment/Comment  Statement of Reasons for Allowance  -	

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 31-67 are allowed.

The following is an examiner's statement of reasons for allowance: As the claimed invention was read in light of the specification, the prior art of record fails to disclose or render obvious a rectangular frame system with one to two discoid radiation filters for filtering the spectrum of a tanning radiator, with an upper plate, a lower plate and two to three marginal members wherein two marginal members lie opposite one another and the join the upper plate to the lower plate the upper plate having a first opening whose perimeter describes a circle, an ellipse, a rectangle or a polygon, and the lower plate has a rectangular second opening, the second opening having a greater area than the first opening, and on the two oppositely lying marginal members, which border on the side of the frame system at which no marginal member is provided, at least two double spring clips are arranged such that between the lower plate and the double spring clips a first radiation filter is clamped.

The closest prior art, Wolff (4,194,125), Kratz (4,623,796), Kerschgens (4,560,883), and Sellmeier et al. (DE 2941467) teach a rectangular frame system with one to two discoid radiation filters and plates, but they do not teach a double spring clipping means or the desired shape and size of the openings.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/988,806

Art Unit: 2881

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Paul Gurzo whose telephone number is (571) 272-2472. The

examiner can normally be reached on M-Fri. 7:30 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John Lee can be reached at (571) 272-2477. The fax phone numbers for the

organization where this application or proceeding is assigned are (703) 872-9306 for regular

communications and (703) 872-9306 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-0956.

**PMG** 

June 30, 2004

JOYN R. LEE

SUPERVISORY PATENT EXAMINER

Page 3

IECHNULUGY CENTER 2800